



Benefits

- Savings on your waste collection
- Tidy premises
- Space saving

Features

- Top loading
- Small machine
- Easy to use
- High performance
- Single phase







Technical specifications

Dimensions 5010-E

A:	71
B:	36"
C:	44"
D:	72"
с.	51"





Loading aper Width: Depth:	ture 20" 28"
Cycle time	30 sec.
RAM force	6,600 lbs (12 p.s.i.)
Bale size Width: Depth: Height:	28" 20" 28"
Bale weight Cardboard: Plastic:	Up 130 lbs Up to 200 lbs
Chamber dim (internal) Width: Depth: Height:	nension 28" 20" 39"
Weight (macl Total:	hine) 800 lbs

Operating power Single phase, 115V, 60Hz, 16A

Noise level

Protection class

Top loading balers for packaging waste

This baler is small enough to be placed right where the scrap material is generated in manufacturing and food processing plants. Perfect for cardboard, sacks and other bulky paper products, as well as most plastic materials.

A dolly is furnished to eject the bale and for internal transportation.





Capacity

The weight of the bale is dependent on the material being baled. A full bale of cardboard weighs 100-130 lbs. A bale of plastic containers will weigh less, but on the other hand a bale of plastic film can weigh 50 percent more.

For more info. contact us or visit our website www.orwak.us We reserve the right to make changes to specifications without prior notice. Bale/bag/bin weights are dependent upon material type.



Orwak USA LLC 88 Longhill Cross Road, Shelton, CT 06484, USA Phone: 800-747-0449 or 203-447-8787 Fax: 203-447-8786 sales.ORWAK@tomrana.com

63 db

IP 55

